



## MATERIAL SAFETY DATA SHEET

### Section 1: Chemical Product and Company Identification

General Product Name: G-Lube Lubricant Penetrating Oil  
Synonyms: None  
Product Description: Lubricant, Rust & Corrosion Protectant  
CAS Number: Mixture  
ASTM: D 4485-07  
Manufacturer: **Green Earth Technologies, Inc.**  
1136 Celebration Blvd.  
Celebration, Florida 34747, U.S.A.  
Phone: (877) 438-4761  
Technical Assistance: (877) 438-4761

### Section 2: Hazards Identification

Appearance: Light Yellow Colored Liquid  
Odor: Mild  
Emergency Overview: Overexposure may cause irritation to the eyes, skin and respiratory tract. Harmful or fatal if swallowed. Keep away from heat, sparks and all other sources of ignition.  
Eyes: Direct contact with liquid or vapors may cause mild irritation.  
Skin: May cause irritation with prolonged or repeated contact.  
Inhalation: High concentrations may cause headaches, dizziness, nausea and respiratory irritation.  
Oral: May be irritating to mouth, throat, stomach and cause nausea, vomiting and diarrhea. Aspiration into the lungs will cause chemical pneumonia.

**See Section 11 for complete health hazard information.**

### Section 3: Composition/Information on Ingredients

Chemical Name	CAS Number
Fatty Acid Methyl Esters	Compound
Bio-based Carbons	Compound
Alkyl Methacrylate	2495-25-2



#### Section 4: First Aid Measures

<b>Eyes:</b>	Flush with water for at least 20 minutes. Get medical attention if eye irritation develops or persists.
<b>Skin:</b>	Wash with soap and water. Remove contaminated clothing. Get medical attention if irritation develops. Launder contaminated clothing before reuse.
<b>Inhalation:</b>	Remove exposed person to fresh air if adverse effects are observed.
<b>Oral:</b>	DO NOT INDUCE VOMITING. Get immediate medical attention.
<b>Additional Information:</b>	Note to physician: Treat symptomatically.

#### Section 5: Fire Fighting Measures

<b>Flash Point:</b>	>200° F (ASTM D 92)
<b>Extinguishing Media:</b>	CO <sub>2</sub> , dry chemical, water spray (fog) or foam. Water stream may splash the burning liquid and spread fire.
<b>Firefighting Procedures:</b>	Recommend wearing self-contained breathing apparatus. Use water spray to cool drums exposed to fire.
<b>Unusual Fire &amp; Explosion Hazards:</b>	Not determined.

#### Section 6: Accidental Release Measures

<b>Spill Procedures:</b>	Recommend Personal Protective Equipment be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Remove sources of ignition, contain spill to smallest area possible. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. Grease nature will result in a slippery surface.
--------------------------	---

#### Section 7: Handling and Storage

<b>Max. Handling Temp.:</b>	50° C, 122° F
<b>Handling Procedures:</b>	Avoid inhalation of vapors and personal contact with the product. Keep containers closed when not in use and away from sources of ignition. Do not expose container to direct sunlight. Wash thoroughly after handling. Empty container contains product residue which may exhibit hazards of product.

Product Name: G-Lube Lubricant Penetrating Oil 1128  
Revision Date: May 1, 2011  
3 of 8 pages



**Max. Storage Temp.:** 45° C, 113° F  
**Storage Procedures:** No special storage precautions required.

### Section 8: Exposure Controls/Personal Protection

**Exposure Limits:** None established  
**Engineering Controls:** Use with adequate ventilation  
**Gloves Procedures:** Use nitrile gloves  
**Eye Protection:** Safety Glasses  
**Respiratory Protection:** Under normal use conditions, respirator is not required  
**Clothing Recommendation:** Under normal use conditions, no special clothing is required. Launder contaminated clothing before reuse.

### Section 9: Physical and Chemical Properties

**Flash Point:** >200° F  
**Vapor Pressure:** Not determined  
**Specific Gravity:** Not determined  
**Bulk Density:** Not determined  
**Water Solubility:** Insoluble  
**Percent Volatile:** Unknown  
**Volatile Organic Compound:** Not determined  
**Evaporation Rate:** Not determined  
**Odor:** Mild  
**Appearance:** Light Yellow Colored Liquid  
**Viscosity:** 4.49 Centistokes (@ 40° C)  
1.73 Centistokes (@ 100° C)  
**Boiling Point:** Not determined  
**Pour Point Temperature:** -19° C, -2.2° F

### Section 10: Stability and Reactivity

**Stability:** Material is stable under normal conditions.  
**Decomposition Temp.:** Not determined  
**Incompatibility:** Strong acids, alkalis and oxidizers.  
**Polymerization:** Will not occur  
**Thermal Decomposition:** Carbon monoxide, carbon dioxide and other products of incomplete combustion (smoke).  
**Conditions to Avoid:** High temperatures, open flame, sparks, welding, smoking and other sources of ignition.



## Section 11: Toxicological Information

### **\*ACUTE EXPOSURE \***

<b>Eye Irritation:</b>	May cause mild eye irritation. Based on data from components or similar materials.
<b>Skin Irritation:</b>	May cause irritation with prolonged or repeated skin contact. Based on data from components or similar materials.
<b>Respiratory Irritation:</b>	Under good industrial hygiene practices where all exposure limits are observed, respiratory irritation should not be a problem. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract similar to that observed with mineral oils.
<b>Dermal Toxicity:</b>	The LD50 in rabbits is >2000 mg/Kg. Based on data from components or similar materials.
<b>Inhalation Toxicity:</b>	Higher concentrations may cause headaches, dizziness and nausea. Based on data from components or similar materials.
<b>Oral Toxicity:</b>	The LD50 in rats is >5000 mg/Kg. Based on data from components or similar materials.
<b>Dermal Sensitization:</b>	No data available to indicate product or components may be a skin sensitizer.
<b>Inhalation Sensitization:</b>	No data available to indicate product or components may be a respiratory sensitizer.

### **\*CHRONIC EXPOSURE\***

<b>Chronic Toxicity:</b>	No data available to indicate product or components present at greater than 1% are chronic health hazards.
<b>Carcinogenicity:</b>	No data available to indicate any components present at greater than 0.1% may present a carcinogenic hazard.
<b>Mutagenicity:</b>	No data available to indicate product or components present at greater than 0.1% are mutagenic or genotoxic.
<b>Reproductive Toxicity:</b>	No data available to indicate product or components present at greater than 0.1% may cause reproductive toxicity.
<b>Teratogenicity:</b>	No data available to indicate product or components contained at greater than 0.1% may cause birth defects.

### **\*ADDITIONAL INFORMATION\***

<b>Other:</b>	No other health hazards known.
---------------	--------------------------------



## Section 12: Ecological Information

### \*ENVIRONMENTAL TOXICITY\*

<b>Freshwater Fish Toxicity:</b>	The acute LC50 is >1000 mg/L based on component data.
<b>Freshwater Invertebrates Toxicity:</b>	Not determined
<b>Algal Inhibition:</b>	The acute EC50 is >1000 mg/L based on similar materials.
<b>Saltwater Fish Toxicity:</b>	Not determined
<b>Saltwater Invertebrates Toxicity:</b>	Not determined
<b>Bacteria Toxicity:</b>	The acute EC50 is >1000 ppm based on component data.
<b>Miscellaneous Toxicity:</b>	Not Determined

### \*ENVIRONMENTAL FATE\*

<b>Biodegradation:</b>	This product is rated Ultimate Biodegradable in which it will biodegrade greater than or equal to 60% in 28 days.
<b>Bioaccumulation:</b>	This material displays no potential to bio concentrate.

## Section 13: Disposal Considerations

<b>Waste Disposal:</b>	Dispose in accordance with federal, state and local regulations.
------------------------	--

## Section 14: Transport Information

<b>ICAO/IATA (US):</b>	Not regulated
<b>ICAO/IATA (International):</b>	Not regulated
<b>IMDG:</b>	Not regulated
<b>IMDG EMS Fire:</b>	Not applicable
<b>IMDG EMS Spill:</b>	Not applicable
<b>IMDG MFAG:</b>	Not applicable
<b>IMO Marine Vessel:</b>	Do Not Transport – Additional Information Required
<b>US Barge:</b>	Do Not Transport – Additional Information Required
<b>USCG Compatibility:</b>	Not determined
<b>U.S. DOT Bulk:</b>	Not regulated
<b>U.S. DOT Non-bulk:</b>	Not regulated
<b>DOT NAERG:</b>	Not applicable
<b>TDG Bulk:</b>	Not regulated
<b>TDG Non-bulk:</b>	Not regulated

Product Name: G-Lube Lubricant Penetrating Oil 1128  
Revision Date: May 1, 2011  
6 of 8 pages



**Mexico:** Not regulated  
**Mexico Non-bulk:** Not regulated  
**Bulk Quantity:** 85000 liters, 22457 gal.  
**Non-bulk Quantity:** 207.8 liters, 55 gal.

***Review classification requirements before shipping materials at elevated temperatures.***

## Section 15: Regulatory Information

### **\*Global Chemical Inventories\***

**USA:** All components of this material are on the US TSCA Inventory or are exempt .

**OTHER TSCA Reg.:** None known

**EU:** All components are in compliance with the EC Seventh amendment directive 92/32/EEC

**Japan:** All components are in compliance with the Chemical Substances Control Law of Japan.

**Australia:** All components are in compliance with chemical notification requirements in Australia.

**Canada:** All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.

**Switzerland:** All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

**Korea:** All components are in compliance in Korea

**Philippines:** All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969)

**China:** All components of this product are listed on the Inventory of Existing Chemical Substances in China.

Product Name: G-Lube Lubricant Penetrating Oil 1128  
Revision Date: May 1, 2011  
7 of 8 pages



**\*Other U.S. Federal Regulations\***

**SARA Ext. Haz. Subst.:** This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances list.

**SARA Section 313:** This product does not contain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical substances listed under SARA Section 313.

**SARA 311 Classification:**

Acute Hazard	No
Chronic Hazard	No
Fire Hazard	No
Reactivity Hazard	No

**CERCLA Hazardous Substances:**

None Known

**FDA Approval:**

Not Applicable

**\*Product Registrations\***

**U.S. Fuel Registration:** Not applicable

**U.S. Dept of Agriculture:** Not registered

**NSF Nonfood Compounds Registration:**

Not registered

**Finnish Registration:** Not registered

**Swedish Registration:** Not registered

**Norwegian Registration:** Not registered

**Danish Registration:** Not registered

**Swiss Registration:** Not registered

**Italian Registration:** Not registered

**Korean Registration:** Not registered

**New Zealand Registration:** Not registered

**TDG Regulated Limit:** None known

Product Name: G-Lube Lubricant Penetrating Oil 1128  
Revision Date: May 1, 2011  
8 of 8 pages



Section 16: Other Information
-------------------------------

**US NFPA Codes:**

Health	Fire	Reactivity	Special
0	1	0	None Established

**HMIS Codes:**

Health	Fire	Reactivity
0	1	0

**Precautionary Labels:**

**“This material has no known health hazards”**

---

*The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of Green Earth Technologies' knowledge; however, Green Earth Technologies makes no warranty whatsoever, expressed or implied of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from use thereof. Green Earth Technologies assumes no*

Product Name: G-Lube Lubricant Penetrating Oil 1128

Revision Date: May 1, 2011

9 of 8 pages



*responsibility for injury to recipient or to third persons for any damage to any property and recipient assumes all such risks.*